## DELAWARE DEPARTMENT OF TRANSPORTATION

## ADVERTISEMENT FOR BIDS

Sealed proposals for the following contract will be received in the Bidders Room at the Delaware Department of Transportation Administration Building, 800 Bay Road, Dover, Delaware 19901. The Administration Building is located on Route 113 in the Danner Campus, directly across from the Blue Hen Corporate Center.

Bids will be received until 2:00 P.M. Local Time, October 13, 2015 and thereafter be publicly opened:

Contract No. T200911308.01 Federal Aid Project No. NH-2015(24) US 301, SR 896 TO US 1 New Castle County DBE GOAL: 7% TRAINEES: 3

Completion time: 1,230 Calendar Days

## PROSPECTIVE BIDDERS NOTES CONTAIN INFORMATION REGARDING:

- 1. PREQUALIFICATION.
- 2. DESIGN FILE AVAILABLE.
- 3. FUEL COST OPTION.
- 4. BREAKOUT SHEETS.
- 5. ALTERNATE BID ITEMS.
- OJT TRAINEE PROGRAMS.
- 7. APPENDIX A, APPENDIX B.
- 8. PROTECTION OF THE THREATENED NORTHERN LONG-EARED BAT.
- 9. BIDDERS MUST BE REGISTERED with DelDOT.
- 10. BONDS.
- 11. QUESTIONS regarding this project are to be e-mailed to dot-project@state.de.us.

| Refer to the full Invitation to Bid for details. |  |
|--|--|
|  |  |

Plans, Specifications, and Bidding Proposals may be obtained from:

www.dot-project@state.de.us Contract Administration Delaware Department of Transportation P.O. Box 778 Dover, DE 19903 (302) 760-2030

Bid items for this contract include the following;

| 1.00         | LS          | CLEARING AND GRUBBING        |
|--------------|-------------|------------------------------|
| 1,618,102.00 | CY          | EXCAVATION AND EMBANKMENT    |
| 36.00        | <b>EACH</b> | SETTLEMENT PLATFORM          |
| 3.00         | LS          | WETLAND ACCESS ROAD, TYPE II |
| 23,418.00    | SY          | COMPACTING INSITU MATERIAL   |

| 22.00          | EACH     | SETTLEMENT MONUMENT                                      |
|----------------|----------|--|
| 165,680.00     | SY       | SUBSOIL TILLAGE  |
| 1,031.00       | CY       | CHANNEL EXCAVATION                                       |
| 15,031.00      | CY       | EXCAVATION AND BACKFILL FOR STRUCTURES                   |
| 1.00           | LS       | SHEETING AND SHORING                                     |
| 18,423.00      | CY       | EXCAVATION AND BACKFILLI NG FOR PIPE TRE                 |
| 100.00         | CY       | FLOWABLE FILL  |
| 30,847.00      | CY       | BORROW, TYPE B   |
| 1,917.00       | CY       | LIGHT WEIGHT AGGREGATE                                   |
| 659.00         | CY       | STREAM RESTORATION BORROW                                |
| 199.00         | CY       | STREAM RESTORATION BORROW MIX                            |
| 1.00           | LS       | REMOVAL OF STRUCTURES & OBSTRUCTIONS                     |
| 3.00           | EACH     | ABANDONMENT OF WELLS                                     |
| 10,174.00      | CY       | GRADED AGGREGATE BASE COURSE, TYPE B                     |
| 2,605.00       | TON      | DELAWARE NO. 3 STONE                                     |
| 2,062.00       | TON      | DELAWARE NO. 57 STONE                                    |
| 156,932.00     | SY       | PERMEABLE TREATED BASE, 4"                               |
| 150,893.00     | SY       | SOIL CEMENT BASE COURSE, 6"                              |
| 3,222.00       | TON      | PORTLAND CEMENT  |
| 4,721.00       | TON      | BIT CONC, SP, TY C, 160 GYRA, PG 64-22 (                 |
| 6,103.00       | TON      | BIT CONC, SP, TY B, 160 GYRA, PG 64-22                   |
| 7,866.00       | TON      | BIT CONC, SP, BCBC, 160 GYRA, PG 64-22                   |
| 995.00         | SY       | PORTLAND CEMENT CONCRETE PAVEMENT, 8"                    |
| 156,932.00     | SY       | PORTLAND CEMENT CONCRETE PAVEMENT, 12"                   |
| 1.00           | LS       | MAINTENANCE OF STREAM FLOW                               |
| 283.00         | CY       | PORT CEMENT CONCRETE MASONRY, CLASS A                    |
|                | CY       | PORT CEMENT CONCRETE MASONRY, CLASS B                    |
| 458.00         | CY       | PCC MASONRY, ABUTMENT FOOTING, CLASS A                   |
| 923.00         | CY       | PCC MASONRY, ABUTMENT FOOTING, CLASS B                   |
| 580.00         | CY       | PCC MASONRY, PIER FOOTING, CLASS B                       |
| 540.00         | CY       | PCC MASONRY, PIER ABOVE FOOTING, CLASS A                 |
| 2,670.00       | CY       | P.C.C. MASONRY, SUPERSTRUCTURE CLASS D                   |
| 1,064.00       | CY       | P.C.C. MASONRY APPROACH SLAB, CLASS D                    |
| 371.00         | CY       | PCC MASONRY, ABUT ABOVE FOOTING, CLASS A                 |
| 591.00         | CY       | P.C.C. MASONRY, PARAPET, CLASS A                         |
| 222.00         | CY       | P.C.C. MASONRY, CLASS D                                  |
| 48.00<br>80.00 | CY<br>CY | PCC MASONRY, SUPERSTRUCTURE, CLASS A CONCRETE ENCASEMENT |
| 1,563.00       | LF       | PRECAST CONCRETE CULVERT                                 |
| 1,303.00       | LF<br>LS | PRECAST CONCRETE CULVERT PRECAST P.C.C. ARCH             |
| 6.00           | LS       | MECHANICALLY STABILIZED EARTH WALLS                      |
| 167.00         | L5<br>LF | PERM CASING FOR PRESTRESSED CONC PILE, 2                 |
| 248,666.00     | LB       | BAR REINFORCEMENT  |
| 1,220,965.00   | LB       | BAR REINFORCEMENT, EPOXY COATED                          |
| 2,698,770.00   | LB       | STEEL STRUCTURES   |
| 1.00           | LS       | CANTILEVER SIGN SUPPORTS & FOUNDATION                    |
| 1.00           | LS       | GRND MOUNT BREAKAWAY SIGN SUPPRT & FND                   |
| 1.00           | Lo       | SIGN MOOTH BREAKING MIT SIGN SOTTER WITH                 |

| 87.00     | LF          | PREFABRICATED EXPANSION JOINT SYSTEM, 3" |
|-----------|-------------|--|
| 497.00    | LF          | PREFABRICATED EXPANSION JOINT SYSTEM, 4" |
| 20.00     | EACH        | ELASTOMERIC BRIDGE BEARING PAD           |
| 34.00     | EACH        | TFE-STAINLESS STEEL STRUCTURAL BEARINGS  |
| 835.00    | TON         | COARSE AGGR FOR FND STAB & SUBFND BCKFL  |
| 7,267.00  | LF          | REINFORCED CONCRETE PIPE, 15", CLASS IV  |
| 6,254.00  | LF          | REINFORCED CONCRETE PIPE, 18", CLASS IV  |
| 1,851.00  | LF          | REINFORCED CONCRETE PIPE, 24", CLASS IV  |
| 2,735.00  | LF          | REINFORCED CONCRETE PIPE, 30", CLASS IV  |
| 1,682.00  | LF          | REINFORCED CONCRETE ELLIPTICAL PIPE, 27" |
| 15.00     | LF          | REINFORCED CONCRETE ELLIPTICAL PIPE, 14" |
| 952.00    | LF          | REINFORCED CONCRETE ELLIPTICAL PIPE, 24" |
| 250.00    | LF          | CORRUGATED POLYEHYLENE PIPE, TYPE S, 24" |
| 1,040.00  | LF          | CORRUGATED POLYETHYLENE PIPE, TYPE S, 48 |
| 1.00      | EACH        | ANTI-SEEP COLLAR                         |
| 1.00      | LACII       | ARTESIAN WATER MAIN AND ACCESSORIES      |
| 204.00    | LF          | STEEL CASING PIPE, 60"                   |
| 320.00    | LF          | INSTALL STEEL CASING PIPE, 12"           |
| 7.00      | EACH        | ·  |
|           |             | R.C. FLARED END SECTION, 15"             |
| 54.00     | EACH        | R.C. FLARED END SECTION, 18"             |
| 16.00     | EACH        | R.C. FLARED END SECTION, 24"             |
| 4.00      | EACH        | R.C. FLARED ,END SECTION, 30"            |
| 1.00      | EACH        | R.C. FLARED END SECTION, 14"X23"         |
| 14.00     | EACH        | R.C. FLARED END SECTION, 27"X42"         |
| 6.00      | EACH        | R.C. FLARED END SECTION, 24"X38"         |
| 8.00      | EACH        | HEADWALL                                 |
| 13,484.00 | LF          | STEEL H PILES, HP 14 X 73                |
| 2,542.00  | LF          | STEEL H TEST PILES, HP 14 X 73           |
| 10,798.00 | LF          | FURNISH PRECAST PRESTRESSED CONCRETE PIL |
| 2,040.00  | LF          | FURNISH PRECAST PRESTRESSED CONCRETE TES |
| 13,484.00 | LF          | INSTALL STEEL H PILES, HP 14 X 73        |
| 2,542.00  | LF          | INSTALL STEEL H TEST PILES, HP 14 X 73   |
| 10,798.00 | LF          | INSTALL PRECAST PRESTRESSED CONCRETE PIL |
| 2,040.00  | LF          | INSTALL PRECAST PRESTRESSED CONCRETE TES |
| 24.00     | EACH        | PRODUCTION PILE RESTRIKE                 |
| 6.00      | EADY        | TEST PILE RESTRIKE                       |
| 74.00     | <b>EACH</b> | DYNAMIC PILE TESTING BY CONTRACTOR       |
| 74.00     | <b>EACH</b> | SIGNAL MATCHING ANALYSIS BY CONTRACTOR   |
| 2.00      | LS          | PRESTRESS REIN CONC MEMBERS, BULB T BEAM |
| 1,141.00  | LF          | PORTLAND CEMENT CONCRETE CURB, TYPE 1-8  |
| 160.00    | LF          | PORTLAND CEMENT CONCRETE CURB, TYPE 1-4  |
| 692.00    | LF          | PORTLAND CEMENT CONCRETE CURB, TYPE 1-2  |
| 3,530.00  | LF          | IPCC CURB & GUTTER, TYPE 1-4             |
| 3,494.00  | LF          | IPCC CURB & GUTTER, TYPE 3-8             |
| 627.00    | LF          | PORTLAND CEMENT CONCRETE CURB, TYPE2 MOD |
| 1,671.00  | SF          | P.C.C. SIDEWALK, 4"                      |
| 151.00    | SF          | SIDEWALK SURFACE DETECTABLE WARNING SYST |
|           |             |  |

```
95.00
         EACH
                  UNDERDRAIN OUTLET
   37.00
                  DRAINAGE INLET, 34" X 18"
         EACH
   19.00
         EACH
                  DRAINAGE INLET, 34" X 24"
   43.00
         EACH
                  DRAINAGE INLET, 48" X 30"
    6.00
         EACH
                  DRAINAGE INLET, 48" X 48"
    9.00
         EACH
                  MANHOLE, 48" X 30"
    1.00
                  MANHOLE, 48" X 48"
         EACH
    1.00
         EACH
                  MANHOLE, 66" X 30"
   17.00
         EACH
                  PERSONNEL GRATE FOR PIPE INLET
    1.00
         LS
                  ELECTRIC DUCTBANK AND MANHOLE SYSTEM
    1.00
         LS
                  TELEPHONE DUCTBANK AND MANHOLE SYSTEM
    5.00
         EACH
                  INST. SAN SEWER MANHOLES, 72" DIA (0-6'
   79.00
         LF
                  INST SAN SEWER MANHOLES, 72" DIA (ADD DE
    1.00
         EACH
                  INST SAN SEW MANHOLES, 96" DIA (0-6' DEE
   23.00
         LF
                  INST SAN SEWER MANHOLES, 96" DIA (ADD DE
    1.00
         EACH
                  ADJUST & REPAIR EXIST. SANITARY MANHOLE
  993.00
         SY
                  RIPRAP, R-4
         SY
 2,213.00
                  RIPRAP, R-5
 3,115.00
         TON
                  RIPRAP, R-4
 3,934.00
         TON
                  RIPRAP, R-5
  151.00
         CY
                  CHANNEL BED FILL
         CY
  120.00
                  RIFFLE GRADE CONTROL MATERIAL
45,325.00
         SY
                  GEOTEXTILES, STABILIZATION
22,725.00
         SY
                  GEOTEXTILES, SEPARATION
7,325.00
         SY
                  GEOTEXTILES, RIPRAP
52,900.00
         LF
                  PERFORATED PIPE UNDERDRAINS, 6"
 4,492.00
         LF
                  UNDERDRAIN OUTLET PIPE, 6"
         EACH
                  CONVERTING EXISTING CATCH BASIN TO JUNCT
    3.00
13,566.00
         LF
                  GALVANIZED STEEL BEAM GUARDRAIL, TY 1-31
         LF
  291.00
                  GALVANIZED STEEL BEAM GUARDRAIL, TY 3-31
  261.00
         LF
                  CURVED GUARDRAIL SECTION
   41.00
         EACH
                  REFLECTORS WHITE, CONCRETE
   17.00
         EACH
                  REFLECTORS YELLOW, CONCRETE
   10.00
         EACH
                  BOLLARD
  575.00
         EACH
                  POST MOUNTED DELINEATORS
   16.00
         EACH
                  GUARDRAIL END TREATMENT ATTEN.,TY 1-31
   10.00
         EACH
                  GUARDRAIL END TREATMENT ATTEN., TY 2-31
    2.00
                  GUARDRAIL END TREATMENT ATTEN., TY 3-31
         EACH
  223.00
         LF
                  CONCRETE SINGLE FACE BARRIER, TYPE I
   10.00
         EACH
                  GUARDRAIL TO BARRIER CONN. (EXIT TY 31)
   23.00
         EACH
                  G/R TO BARR. CONN., APPROACH TY 1-31
   21.00
         EACH
                  END ANCHORAGE 31
                  RIGHT-OF-WAY FENCE
27,462.00
         LF
    6.00
         EACH
                  RIGHT-OF-WAY FENCE GATE
  288.00
         LF
                  CHAIN-LINK FENCE, 5' HIGH
    4.00
         EACH
                  VEHICULAR GATES
  761.00
         LF
                  CONSTRUCTION SAFETY FENCE
```

| 1,018.00   | LF          | BRIDGE SAFETY FENCE                      |
|------------|-------------|--|
| 7,900.00   | LF          | WILDLIFE EXCLUSION FENCE                 |
| 10,395.00  | LF          | RESOURCE PROTECTION FENCE                |
| 50.00      | ACRE        | HERBICIDE APPLICATION, NOXIOUS WEEDS     |
| 1.00       | LS          | PLANTINGS                                |
| 1,006.00   | EACH        | LIVE STEM STAKING                        |
| 1,000.00   | LS          | MAINTENANCE OF TRAFFIC                   |
| 180.00     | EADY        | ARROWPANELS, TYPE C                      |
| 163.00     | EADY        | FURN & MAINT PORT CHANGEABLE MESSAGE SIG |
| 89,300.00  | EADY        | PLASTIC DRUMS                            |
| 2,800.00   | HOUR        | TRAFFIC OFFICERS                         |
| 16.00      | EACH        | REFLECTOR PANELS                         |
| 450.00     | EADY        | FURNISH & MAIN. TMA, TYPE II             |
| 1,277.00   | LF          | FURN AND MAIN PORT PCC SAFETY BARRIER    |
| 272,916.00 | LFDY        | TEMPORARY BARRICADES, TYPE III           |
| 129,687.00 | EADY        | TEMPORARY WARNING SIGNS AND PLAQUES      |
| 20.00      | EACH        | INSTALL TEMPORARY IMPACT ATTENUATOR      |
| 20.00      | EACH        | FURN TEMP IMPACT ATTEN NON-GATING, REDIR |
| 20.00      | EACH        | RELOCATE TEMPORARY IMPACT ATTENUATOR     |
| 2,400.00   | HOUR        | ATSSA CERTIFIED TRAFFIC CONTROL SUPERVIS |
| 21,280.00  | HOUR        | FLAGGER, NEW CASTLE COUNTY, FEDERAL      |
| 2,128.00   | HOUR        | FLAGGER, NEW CASTLE COUNTY, FEDERAL, OVE |
| 15.00      | EACH        | CONDUIT JUNCTION WELL, TYPE 7, PRECAST   |
| 60.00      | EACH        | CONDUIT JUNCTION WELL, TYPE 11, PRECAST  |
| 45.00      | EACH        | CONDUIT JUNCTION WELL, TYPE 14, PRECAST  |
| 1.00       | EACH        | ADJUST OR REPAIR EXISTING CONDUIT JUNCTI |
| 2,020.00   | LF          | FURNISH & INSTALL UP TO 4" SCHEDULE 80 H |
| 36,300.00  | LF          | FURNISH & INSTALL UP TO 4" SCHEDULE 80 P |
| 275.00     | LF          | FURNISH & INSTALL UP TO 4" GALVANIZED ST |
| 130.00     | LF          | FURNISH & INSTALL UP TO 4" GALVANIZED ST |
| 1.00       | EACH        | RELOCATING LIGHT POLE                    |
| 22.00      | EACH        | ALUM. LIGHT STD. W/SINGLE DAVIT ARM, 30' |
| 29.00      | EACH        | ALUM. LIGHT STD. W/SINGLE DAVIT ARM, 40' |
| 53.00      | EACH        | FURNISH & INSTALL GROUND ROD             |
| 250.00     | CF          | POLE BASE EXTENSION                      |
| 2.00       | EACH        | POLE BASE, TYPE 3                        |
| 4.00       | <b>EACH</b> | POLE BASE, TYPE 4A                       |
| 9.00       | <b>EACH</b> | POLE BASE, TYPE 6                        |
| 5,000.00   | LF          | INSULATED GROUND CABLES,1/350 KCMIL      |
| 1.00       | <b>EACH</b> | LIGHTING CONTROL AND DISTRIBUTION ENCLOS |
| 49.00      | EACH        | LIGHTING STANDARD POLE BASE              |
| 1,425.00   | LF          | FURNISH & INSTALL 1-CONDUCTOR #2 AWG COP |
| 61,000.00  | LF          | FURNISH & INSTALL 1-CONDUCTOR #6 AWG     |
| 450.00     | LF          | FURNISH & INSTALL #4/0 AWG STRANDED COPP |
| 1.00       | LS          | FURN AND INST ELECTRICAL UTIL SERV EQUI  |
| 4.00       | EACH        | CABINET BASE, TYPE P                     |
| 1.00       | EACH        | CABINET BASE, TYPE R                     |
|            |             |  |

## Contract #T200911308.01 , Page 6

| 695.00     | SF          | PERM PAVT STRIP SYM/LEG ALKYD THERMOPLAS |
|------------|-------------|--|
| 875.00     | EACH        | RAISED/RECESSED PAVEMENT MARKER          |
| 250.00     | LF          | RETROREFLEC PREFORMED PATTERNED, 12"     |
| 1,700.00   | SF          | REMOVAL OF PAVEMENT STRIPING             |
| 121,900.00 | LF          | PERM PAVT STRIPING, EPOXY, 5"            |
| 2,725.00   | LF          | PERM PAVT STRIPING, EPOXY, 10"           |
| 1.00       | <b>EACH</b> | PREFORMED RETROREFLECTIVE THERMO PVMT MA |
| 44,350.00  | LF          | PERM PVMT STRIPING, EPOXY RESIN PAINT, B |
| 150.00     | LF          | RETROREF PREFORM PATT MARKINGS, 10"      |
| 9,150.00   | LF          | RETROREF PREFORM PATT MARKINGS, 8"       |
| 750.00     | LF          | RETROREF PREFORM PATT MARKINGS, 13"      |
| 1,300.00   | SF          | SIGN PANEL                               |
| 125.00     | SF          | SUPP OF FLAT SHEET ALUMIN SGN PNL TY IX  |
| 183.00     | <b>EACH</b> | INSTALLATION OR REMOVAL OF TRAFFIC SIGN  |
| 10.00      | <b>EACH</b> | INSTALLATION OF 4" DIA HOLE, LESS THAN O |
| 1,207.00   | SF          | INSTALLATION OR REMOVAL OF TRAFFIC SIGNS |
| 50.00      | LF          | INSTALLING SANITARY SEWER, PVC, 15"      |
| 990.00     | LF          | INSTALLING SANITARY SEWER PVC, 24"       |
| 249.00     | SY          | REMOVAL EXIST. PCC PAV'T CURB SIDEWALK   |
| 42.00      | EAMO        | FIELD OFFICE, TYPE II.22 SPECIAL COMPLEX |
| 2,819.00   | LF          | RUMBLE STRIPS, CONCRETE, SHALLOW DEPTH   |
| 69,419.00  | LF          | RUMBLE STRIPS, CONCRETE                  |
| 3,821.00   | SYIN        | PROFILE MILLING, BITUMINOUS CONCRETE     |
| 1,127.00   | LF          | SAW CUTTING, BITUMINOUS CONCRETE         |
| 148.00     | LF          | SAW CUTTING, CONCRETE (FULL DEPTH)       |
| 1.00       | LS          | INITIAL EXPENSE                          |
| 1.00       | LS          | CONSTRUCTION ENGINEERING                 |
| 3,000.00   | HOUR        | TRAINEE                                  |
| 1.00       | LS          | PROJECT CONTROL SYSTEM DEVELOPMENT PLN   |
| 40.00      | <b>EAMO</b> | CPM SCHEDULE UPDATES AND/OR REVISIONS    |
| 1.00       | LS          | ELECTRICAL SERVICE                       |
| 1.00       | LS          | ELECTRICAL WORK, TOLL PLAZA              |
| 1.00       | LS          | MECHANICAL WORK, TOLL PLAZA              |
| 1.00       | LS          | EMERGENCY GENERATOR                      |
| 400.00     | HOUR        | UTILITY CONSTRUCTION ENGINEERING         |
| 1.00       | LS          | ARCHITECTURAL WORK, TOLL PLAZA           |
| 1.00       | LS          | PLUMBING SYSTEM                          |
| 1.00       | LS          | STRUCTURAL WORK, GANTRY                  |
| 1.00       | LS          | ENVIRONMENTAL PERFORMANCE INCENTIVE (DIS |
| 1.00       | LS          | BORROW AREA EROSION AND SEDIMENT CONTROL |
| 30,950.00  | LF          | SILT FENCE                               |
| 12,400.00  | LF          | REINFORCED SILT FENCE                    |
| 4,050.00   | CY          | SEDIMENT TRAP                            |
| 115.00     | EACH        | INLET SEDIMENT CONTROL, DRAINAGE INLET   |
| 115.00     | EACH        | DEWATERING BAG                           |
| 30.00      | EACH        | SUMP PIT                                 |
| 14.00      | EACH        | SKIMMER DEWATERING DEVICE                |
|            |             |  |

| 490.00     | TON | STONE CHECK DAM                       |
|------------|-----|---------------------------------------|
| 480.00     | LF  | TEMPORARY SLOPE DRAIN, 18"            |
| 2,040.00   | LF  | TEMPORARY SLOPE DRAIN, 24"            |
| 2,100.00   | LF  | TEMPORARY SWALE, TYPE A-1             |
| 9,100.00   | LF  | PERIMETER DIKE/SWALE, TYPE A-1        |
| 1,850.00   | LF  | PERIMETER DIKE/SWALE, TYPE A-2        |
| 13,647.00  | LF  | EARTH DIKE, TYPE A-1                  |
| 8,952.00   | LF  | EARTH DIKE, TYPE A-2                  |
| 2,130.00   | LF  | EARTH DIKE, TYPE B-2                  |
| 3,787.00   | SY  | TOPSOIL, 6" DEPTH                     |
| 3,970.00   | SY  | TOPSOILING, 4" DEPTH                  |
| 797,797.00 | SY  | TOPSOILING, 6" DEPTH                  |
| 793,937.00 | SY  | PERMANENT GRASS SEEDING, DRY GROUND   |
| 25,050.00  | SY  | PERMANENT GRASS SEEDING, WET GROUND   |
| 913,000.00 | SY  | TEMPORARY GRASS SEEDING               |
| 1,528.00   | SY  | STREAMBANK SEED MIX, SEEDING          |
| 104,486.00 | SY  | EROSION CONTROL BLANKET MULCH         |
| 900.00     | TON | STABILIZED CONSTRUCTION ENTRANCE      |
| 199,205.00 | SY  | NATIVE GRASS SEEDING, NO MOW MIX      |
| 7,419.00   | SY  | RIPARIAN SEED MIX, STREAM RESTORATION |
| 1,006.00   | SF  | FABRIC ENCAPSULATED SOIL LIFT         |
| 165.00     | CF  | SANDBAG DIKE                          |
| 1,000.00   | CF  | SANDBAG DIVERSION                     |
| 310.00     | CY  | CLAY BORROW, CUT-OFF TRENCH           |
| 260.00     | CY  | CLAY BORROW, POND LINER               |
| 1.00       | LS  | OUTLET STRUCTURE                      |
| 635.00     | LF  | INFILTRATION TRENCH                   |

**NOTE**: UNOFFICIAL Plans, Specifications; and Official Questions and Answers may be viewed on the Web at <a href="http://bids.delaware.gov">http://bids.delaware.gov</a>.

The Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, creed, color, sex, or national origin in consideration for an award.

When it is in the best interest of the State, DelDOT may extend the time and place for the opening of bids from that described above, on not less than two calendar days' notice by certified delivery, facsimile transmission, or by other verifiable electronic means to those bidders who obtained copies of the Plans, Specifications, and Proposals, or contract descriptions.

Department of Transportation State of Delaware By: Jennifer Cohan, Secretary Dover, Delaware August 31, 2015